

**WHAT IS CLAIMED IS:**

1. A method for decoding video, comprising the steps of:

reducing a number of transform coefficients in B-frames to  
produce reduced B-frames;

5 inverse scanning the reduced B-frames;

performing inverse quantization on the reduced  
B-frames; and

performing an inverse transform on the reduced B-frames.

2. The method of claim 1, wherein the reduced B-frames are produced  
by:

identifying blocks associated with the B-frames; and

selecting transform coefficients included in a predetermined  
area of the blocks associated with the B-frames.

3. The method of claim 1, wherein the inverse scanning is  
5 inverse zig-zag scanning.

4. The method of claim 1, wherein the inverse transform is an  
inverse discrete cosine transform.

5. A memory medium including code for decoding video, the code comprising:

a code for reducing a number of transform coefficients in B-frames to produce reduced B-frames;

5 a code for inverse scanning the reduced B-frames;

a code for performing inverse quantization on the reduced B-frames; and

a code for performing an inverse transform on the reduced B-frames.

6. The memory medium of claim 5, wherein the code for producing the reduced B-frames includes:

a code for identifying blocks associated with the B-frames;

and

a code for selecting transform coefficients included in a predetermined area of the blocks associated with the B-frames.

7. The memory medium of claim 5, wherein the inverse scanning is inverse zig-zag scanning.

8. The method of claim 5, wherein the inverse transform is an inverse discrete cosine transform.

9. An apparatus for decoding video, comprising:

means for reducing a number of transform coefficients in B-frames to produce reduced B-frames;

means for inverse scanning the reduced B-frames;

5 means for performing inverse quantization on the reduced B-frames; and

means for performing an inverse transform on the reduced B-frames.

10. The apparatus of claim 9, wherein the means for producing reduced B-frames includes:

means for identifying blocks associated with the B-frames; and

means for selecting transform coefficients included in a predetermined area of the blocks associated with the B-frames.

11. The apparatus of claim 9, wherein the inverse scanning is inverse zig-zag scanning.

12. The apparatus of claim 9, wherein the inverse transform is an inverse discrete cosine transform.

13. An apparatus for decoding video, comprising:

an inverse scan and quantization unit for reducing a number of transform coefficients in B-frames to produce reduced B-frames, inverse scanning the reduced B-frames and performing inverse

5 quantization on the reduced B-frames; and

an inverse transform unit for performing an inverse transform on the reduced B-frames.

14. The apparatus of claim 13, wherein the reduced B-frames are produced by:

10 identifying blocks associated with the B-frames; and

selecting transform coefficients included in a predetermined area of the blocks associated with the B-frames.

15. The apparatus of claim 13, wherein the inverse scanning is inverse zig-zag scanning.

16. The apparatus of claim 13, wherein the inverse transform is an inverse discrete cosine transform.